

# THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY

Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., F.R.E.S.

M. G. MORRIS, M.A., Ph.D., F.I.Biol., F.L.S., F.R.E.S.

K. G. V. SMITH, C.Biol., F.I.Biol., F.L.S., F.R.E.S.

J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.

P. M. HAMMOND, M.A., F.R.E.S.

W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 128

CAB INTERNATIONAL  
Library Services Centre

J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — Laboulbène.

THE ENTOMOLOGIST'S MONTHLY MAGAZINE  
BRIGHTWOOD  
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD  
1992

## CONTENTS

CONTRIBUTORS .....	iii
GENERAL INDEX .....	iv
SPECIAL INDEX –	
ARACHNIDA .....	vii
COLEOPTERA .....	vii
DIPTERA .....	viii
EPHEMEROPTERA .....	x
HEMIPTERA .....	x
HYMENOPTERA .....	x
ISOPTERA .....	xii
LEPIDOPTERA .....	xii
MANTODEA .....	xii
ODONATA .....	xii
PHASMIDA .....	xii
PLECOPTERA .....	xiii
PSOCOPTERA .....	xiii
THYSANURA .....	xiii
TRICHOPTERA .....	xiii
GROUPS OTHER THAN INSECTA AND ARACHNIDA .....	xiii
ERRATA AND CORRIGENDA .....	xiv

## DATES OF PUBLICATION

January/February/March/April	30th April 1992
May/June/July/August	31st July 1992
September/October/November/December	30th November 1992

# INDEX

This index covers the year 1992 (Vol. 128). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Mrs A.V. Smith.

## INDEX TO CONTRIBUTORS

- |  |   |
|--|---|
| Alexander, K.N.A., 258                                   | Hillyard, P., 236   |
| Allen, A.A., 29, 41, 42, 85, 114, 136                    | Holmes, P.R., 202   |
| Allen, G.W., 10  | Horsfield, D., 109, 196, 202, 236   |
| Altenhofer, E., 99                                       | Hunt, J.H., 139   |
| Angus, R.B., 170   | Ismay, J.W., 95   |
| Archer, M.E., 51, 157, 218                               | Jeanne, R.L., 139   |
| Ashe, P., 146  | Jessop, L., 172   |
| Askew, R.R., 81, 119, 164, 215                           | Jobe, J.B., 14  |
| Aukema, B., 11   | Kennaugh, J.H., 215   |
| Badmin, J., 9, 62, 118                                   | Kerzhner, I.M., 70  |
| Barnett, R.J., 206                                       | Kozanek, M., 59   |
| Bland, K.P., 57  | Laurence, B.R., 207   |
| Booth, R.G., 93  | Lyszkowski, R.M., 24  |
| Bouček, Z., 32   | McClenaghan, I., 136  |
| Boyce, D.C., 202   | MacGowan, I., 24  |
| Bradbury, K., 77   | Morris, M.G., 108, 136, 180, 213, 228   |
| Bradley, J.D., 94  | Morton, G., 96  |
| Bragg, P.E., 129, 185                                    | Murphy, J., 236   |
| Buhl, P.N., 79   | Nagatomi, A., 87  |
| Butler, F.T., 164  | Nau, B.S., 11   |
| Carles-Tolrá, M., 63                                     | Nelson, J.M., 71  |
| Carr, R., 170  | O'Connor, J.P., 146, 164  |
| Carter, D.J., 38, 92, 173                                | Owen, J.A., 214, 225  |
| Chandler, P.J., 237                                      | Pawlyszyn, 203  |
| Colvin, M., 137  | Pont, A.C., 109   |
| Cooper, M., 111  | Quicke, D.L.J., 33  |
| Cooter, J., 142, 183                                     | Reed, D.K., 202   |
| Corbet, S.A., 229  | Rotheray, G.E., 24, 57, v   |
| Crellin, S.M., 69  | Rudzinski, H.-G., 59  |
| Davies, L., 207  | Saw, P.L., 1  |
| Deeming, J.C., 257                                       | Schonröge, K., 99   |
| Disney, R.H.L., 39, 165, 219, 258                        | Simmonds, M.S.J., 22, 30  |
| Drake, C.M., 171   | Smith, A., 14   |
| Duff, A.G., 37, 85, 214                                  | Smith, D.A., 138  |
| Eds, 181   | Smith, K.G.V., 10, 30, 46, 61, 74, 78, 95,<br>97, 98, 114, 138, 142, 169, 183, 206,<br>224, 235, 254, 257 |
| Ellis, P.R., 1   | Spriggs, A.H. Kirk-, 25   |
| Else, G.R., 43, 67                                       | Taylor, S., 214   |
| Fairhurst, C.P., 196                                     | Varty, J., 77   |
| Field, J., 193   | Verdcourt, B., 184  |
| Frewin, G.L., 58   | Vickery, V.R., 255  |
| Fussell, M., 229   | Wallace, I.D., 202  |
| Gillies, M.T., 179, 206                                  | Walsh, P., 14   |
| Graham, M.W. R. de V., 15, 23, 75, 113,<br>115, 143, 197 | Way, M.J., 179  |
| Hammond, P.M., 84  | Webb, M.D., 141   |
| Harding, P.T., 196                                       | Welch, R.C., 118, 192   |
| Hardman, J.A., 1   | Whitehead, P.F., 31, 47, 112, 156, 184, 196   |
| Harkness, M.L.R., 147                                    | Winter, T.G., 170   |
| Harkness, R.D., 147                                      | Yang, D., 87  |
| Harris, K.M., 173  | Young, D., 87   |
| Harrison, T.D., 181                                      |   |

## GENERAL INDEX

- Aggregation of *Anomoia purmunda* (Harris) (Dipt., Tephritidae) on *Galium verum* L., 74
- Australasian nocturnal Braconinae (Hym., Braconidae), 33
- Behavioural differences between English and Japanese populations of *Ammophila sabulosa* (L.) (Hym., Sphecidae), 193
- Berkshire, *Agrilus pannonicus* (Pill. & Mitt.) (Col., Buprestidae) in, 184
- Biology and larval parasitoids of the leaf-mining sawflies *Profenusa thomsoni* (Konow) and *P. pygmaea* (Konow) (Hym., Tenthredinidae), 99
- Borneo, The phasmid *Carausius abbreviatus* (Brunner) from, including a description of the female, 129; the phasmid *Phenacarpus spinulosus* (Hausleithner) from, including a description of the female, 185
- Bristol, records of *Volucella zonaria* (Poda) (Dipt., Syrphidae) in, 206
- Britain, a meniscus midge (Dipt., Dixidae) new to, 165; a second record of *Crypturgus subscirbosus* Eggers (Col., Scolytidae) in 170; *Dolichovespula saxonica* (F.) found breeding in, with nesting records of *D. media* (Retzius) (Hym., Vespidae), 137; further extension of the range of *Dolichovespula media* (Retzius) (Hym., Vespidae) in 1989 and 1990, in, 43; *Megalonotus emarginatus* (Rey) (Lygaeidae) and *Trigonotylus caelestialium* (Kirkaldy) (Miridae) (Hem.-Het.), new to, 11; *Meligethes haemorrhoidalis* Förster (Col., Nitidulidae) in, 25; Pteromalidae (Hym., Chalcidoidea) new to, with records of other uncommon species, 81; some old records of rare Carabidae (Col.) from western, 37; *Tetrops starkii* Chevrolat (Col., Cerambycidae) new to, 181; the distribution of *Calliphora* species (Dipt., Calliphoridae) in Ireland and, 207
- British Isles, some notes on *Sirocalodes mixtus* (Muls. & Rey) (Col., Curculionidae) in the, 180
- British List, additions to the, of *Entedon* (Dalman) (Hym., Eulophidae) with descriptions of three new species, 119
- British locality, *Bruchela rufipes* (Olivier) (Col., Anthribidae) at a second, with a note on the food plants of *Sibinia primitus* (Herbst) (Col., Curculionidae), 84
- British *Phronia* Winnertz and *Trichonta* Winnertz (Dipt., Mycetophilidae), a review of the, 237
- British species, *Hydrosmectina septentrionum* Benick, not *H. subtilissima* (Kr.) (Col., Staphylinidae), a, 42; of *Semiotellus* Westwood (Hym., Pteromalidae), 215; *Thricops genarum* (Zetterstedt, 1839) (Dipt., Muscidae) confirmed as a, 109
- Buckinghamshire, *Phytoecia cylindrica* (L.) (Col., Cerambycidae) in the Gloucestershire/Wiltshire area and, 258
- Buddleja globosa* Lam., *Cionus scrophulariae* (L.) (Col., Curculionidae) feeding on, 254
- Charnwood Forest, Leicestershire and Lydford Moorland, Devon, a comparison of the solitary wasps and bees (Hym., Aculeata) of, 51
- Chinese *Rhagina* (Dipt., Rhagionidae), a study on the, 87
- Cornwall, *Aleochara diversa* (J. Sahlberg) 1876 (Col., Staphylinidae) new to both Worcestershire and, 156
- Correction to a recent publication (Hym., Pteromalidae), 32
- Denmark, a new species of *Polypeza* (Hym., Diapriidae, Belytinae) from, 79
- Diagnostic characters of *Monodontomerus obscurus* Westwood, 1833 and *M. aeneus* (Fonscolombe, 1832) (= *obsoletus* (Fabricius, 1798), preocc.) (Hym., Torymidae), 143
- Dorset, a belated record of *Copris lunaris* L. (Col., Scarabaeidae) from, 58; *Apion* (*Kalcapion*) *semivittatum* Gyll. (Col., Apionidae) in, 108; *Microsporus acaroides* (Waltl) (Col., Microsporidae) in, 214
- Dublin, *Drosophila repleta* Wollaston (Dipt., Drosophilidae), an unsavoury find in a pub, 146
- Early stages and biology of the dung-fly *Acanthocnema glaucescens* (Loew) (Dipt., Scathophagidae), 71
- Editorial – Henry Tibbats Stainton, F.R.S., 181
- England, the occurrence of *Pterostichus rhaeticus* Heer (Col., Carabidae) in southwest, 170; two little-known wasps: *Homonotus sanguinolentus* (F.) and *Euodynerus quadrfasciatus* (F.) (Hym., Aculeata) in southern and a review of their occurrence in Britain, 67
- English record of *Neochalcis fertoni* (Kieffer) (Hym., Chalcididae), 164; [English] and Japanese populations of *Ammophila sabulosa* (L.) (Hym., Sphecidae), behavioural differences between, 193
- Essex, *Keroplatus testaceus* Dalman (Dipt., Mycetophilidae) in, 138



- European, *Psilocera* (Hym., Pteromalidae), second revision of, with descriptions of three new species, 15; Pteromalidae (Hym., Chalcidoidea), two new species of, 115; species of the genus *Conomorium* Masi, 1924 (Hym., Pteromalidae) including one new to science, 197
- Forster, J.R. (1770), new taxa of insects (Col., Hym.) established by, 70
- France, a new species of *Synedrus* (Hym., Pteromalidae) from, 23; a new species of *Zdenekiana* Huggert (Hym., Pteromalidae) from, 113
- Further observations of *Nitela borealis* Valkeila (Hym., Sphecidae), 10
- Further records of *Tropideres niveostris* (F.) (Col., Anthribidae), 114; two little-recorded Nitidulidae (Col.), 29
- Galium verum* L. [ladies' bedstraw], an aggregation of *Anomoia purmunda* (Harris) (Dipt., Tephritidae), on, 74
- Gender and derivation of the name *Omophron* (Col., Carabidae), 85
- Gloucestershire/Wiltshire area, *Phytoecia cylindrica* (L.) (Col., Cerambycidae) in the Buckinghamshire and, 258
- Goat moth (*Cossus cossus* L.), national distribution of the, appeal for records, xvii
- Greece, predation of an ant (*Cataglyphis bicolor* (F.), Hym., Formicidae) by a spider (*Zodarium frenatum* (Simon), Araneae, Zodariidae) in, 147
- Herefordshire, *Xyletinus longitarsus* Jansson (Col., Anobiidae) in, 183
- Host plants of *Eupteryx atropunctata* (Goeze) (Hem., Cicadellidae), 62; of the carrot fly *Psila rosae* (F.) (Dipt., Psilidae), 1
- How rare is *Paykullia maculata* (Fallén) (Dipt., Rhinophoridae)? 46
- Huntingdon, *Badonnella titei* Pearman (Psocoptera, Sphaeropsocidae): alive and well at Monks Wood Experimental Station, 118
- Identity of *Centrobria fumipennis* Blood, 1923 (Hym., Trichogrammatidae), 75
- India, beetles (Col., Scarabaeidae) in a social wasp nest (Hym., Vespidae) in, 139
- Inverness-shire, *Stenus glacialis* Heer (Col., Staphylinidae) on Creag Meagaidh, 196
- Ireland, the distribution of *Calliphora* species (Dipt., Calliphoridae) in Britain and, 207
- Irish Pimplinae (Hym., Ichneumonidae), notes on some interesting, 164
- Isle of Man, some Aculeata Hymenoptera new to, 69
- Isles of Scilly, notes on two Homoptera new to the, 62
- Japanese, behavioural differences between English and Japanese populations of *Ammophila sabulosa* (L.) (Hym., Sphecidae), 193
- Kent, a belated record of *Cossonus linearis* (F.) (Col., Curculionidae) from East, 213; an overlooked record of *Procas armillatus* (F.) (Col., Curculionidae) from West, 136; horse-chestnut scale *Pulvinaria regalis* Canard (Hem., Coccidae) in, 118
- Korea, Sarcophagidae (Dipt.) from, 59
- London area, new records of *Eustalomyia hilaris* Fall. (Dipt., Anthomyiidae) in the – with notes on a marked difference in habits in this and other lignicolous genera, 41
- Lydford Moorland, Devon and Charnwood Forest, Leicestershire, a comparison of the solitary wasps and bees (Hym., Aculeata) of, 51
- Malaysia, a further new species of *Rhynchomicropteron* (Dipt., Phoridae) from, 219
- Male of *Anacrabro eganus* Leclercq (Hym., Sphecidae): and more on the mesopleural process of some male *Anacrabro*, 111
- Mantids catching humming birds, 257
- Middlesex, *Chrysolina oricalcia* Mull. (Col., Chrysomelidae) in north London and Oxford, 114; *Euthyneura halidayi* Collin (Dipt., Empididae) in north London, 30; *Keroplatys testaceus* Dalman (Dipt., Mycetophilidae) in north London, 138
- m.v. light, *Oligella intermedia* Besuchet (Col., Ptiliidae) at, 136
- Nest relocation in the British hornet *Vespa crabro gribodoi* Bequaert (Hym., Vespidae), 203
- Nigeria, confirmation of the presence of the mosquito *Aedes mucidus* (Karsch) (Dipt., Culicidae) in, 257
- Nocturnal Australasian Braconinae (Hym., Braconidae), 33
- Northamptonshire localities, *Planeustomus palpalis* (Er.) (Col., Staphylinidae) from two, 192
- Notable records of Coleoptera, 184
- OBITUARIES – Mrs M.E. Hobby, 95; Douglas Keith McEwan Kevan, 255; Arthur Smith, 173
- Observations on *Patrobus* Stephens (Col., Carabidae) and a beetle fauna dominated by it, 112
- Oxford, *Chrysolina oricalcia* Mull. (Col., Chrysomelidae) in, 114
- Patrolling behaviour of male bumblebees (Hym.), observations on, 229

- Pear tree, *Lepisma saccharina* L. (Thysanura, Lepismatidae) breeding on a, 196
- Pupal sounds, ultrasonic components of the, of *Lycaena phlaeas* (L.) (Lep., Lycaenidae), 77
- REVIEWS – **Albatercedor, J. & Sanchez-Ortega, A.** (eds), 1991, Overview and Strategy of Ephemeroptera and Plecoptera, 206; **Askew, R.R.**, 1990, Identification Chart of British and Irish Dragonflies, v; **Bulletin of the British Museum (Natural History), Historical Series**, 1989–1991, 97; **Cherepanov, A.I.**, 1990, Cerambycidae of Northern Asia: Vol. 1, Vol. 2 (Pts I & II), Vol. 3 (Pts I, II & III), 93; **Collins, N.M. & Thomas, J.A.** (eds), 1991, The Conservation of Insects and their Habitats, 171; **Dent, D.**, 1991, Insect Pest Management, 179; **Drake, C.M.**, 1991, Provisional Atlas of the Large Brachycera (Diptera) of Britain and Ireland, xi; **Emmet, A.M.**, 1991, The Scientific Names of the British Lepidoptera, their History and Meaning, 61; **Falk, S.**, 1991, A Review of the Scarce and Threatened Flies of Great Britain, Pt 1, 235; **Fryer, G.**, 1991, A Natural History of the Lakes, Tarns and Streams of the English Lake District, 258; **Goodman, L.J. & Fisher, R.C.**, 1991, The Behaviour and Physiology of Bees, 178; **Gupta, A.P.** (ed), 1990, 1991, Morphogenetic Hormones of Arthropods, Vol. 1 (Pts I & II), 22; **Hanski, I. & Cambefort, Y.** (eds), 1991, Dung Beetle Ecology, 172; **Harding, P.T. & Green, S.V.**, 1992, Recent Surveys and Research on Butterflies in Britain and Ireland, xi; **Heimer, S. & Nentwig, W.**, 1991, Spinnen Mitteleuropas: Ein Bestimmungsbuch, 236; **Hubbard, M.D.**, 1990, Mayflies of the World – A Catalog of the Family and Genus Group Taxa (Insecta: Ephemeroptera) (*Flora & Fauna Handbook* No. 8), 179; Institute of Terrestrial Ecology, xi; **Kudrna, O.** (ed.), 1990, Butterflies of Europe, Vol. 2, 38; **Lunt, G.G. & Olsen, R.W.** (eds), 1988, Comparative Invertebrate Neurochemistry, 30; **Medvedev, G.S.**, 1990, Keys to the Insects of the European part of the USSR, Vol. IV, Lepidoptera, Pt II, 94; **O'Connor, M.**, 1991, Writing Successfully in Science, 183; **O'Toole, C. & Raw, A.**, 1991, Bees of the World, 224; **Riley, A.M.**, 1991, A Natural History of the Butterflies and Moths of Shropshire, 169; **Rognes, K.**, 1991, Blowflies (Diptera, Calliphoridae) of Fennoscandia and Denmark (*Fauna Ent. Scand.*, 24), 142; **Shaw, M.R. & Huddleston, T.**, 1991, Classification and Biology of Braconid Wasps (Hymenoptera, Braconidae) (*Handbk Ident. Br. Insects*), 10; **Shire Natural History Series**, xi; **Sutton, S.L. & Beaumont, H.E.**, 1989, Butterflies and Moths of Yorkshire: Distribution and Conservation, 92; **Thomas, J. & Lewington, R.**, 1991, The Butterflies of Great Britain and Ireland, 98; **Williams, D.J. & Granariade Willink, H.C.**, 1992, Mealybugs of Central and South America, xvii; **Wilson, M.R. & Claridge, M.F.**, 1991, Handbook for the Identification of leafhoppers and planthoppers of rice, 141
- Scale insect (Hem.-Hom., Eriococcidae), a further record of a scuttle-fly (Dipt., Phoridae) parasitising a, 39
- Scotland, *Atheta hansseni* Strand (Col., Staphylinidae) in Strathspey, 214; *Gymnetron beccabungae* (L.) (Col., Curculionidae) in, 228; *Spilogona scutellata* (Schnabl) (Dipt., Muscidae) new to, 236; *Stenus glacialis* Heer (Col., Staphylinidae) on Creag Meagaidh, Inverness-shire, 196; the goat moth (*Cossus cossus* (L.)) (Lep., Cossidae) and associated insects in, 24; *Trechus secalis* Paykull (Col., Carabidae) in Northern, 14; *Xanthandrus comtus* (Harris) (Dipt., Syrphidae) breeding in, 58
- Scottish Insects, Initiative for, v
- Spain, new species of Carnidae and Lauxaniidae (Diptera) from, 63
- Sussex, *Baris scolopacea* Germar (Col., Curculionidae) in West, 142
- Taxonomy of *Vespa crabro* L. and *V. dybowskii* André (Hym., Vespinae), 157
- Thuja plicata* D. Don., *Elasmotherus* (*Cyphostethus*) *tristriatus* (F.) (Hem., Pentatomidae) on, 136
- Ultrasonic components in the pupal sounds of *Lycaena phlaeas* (L.) (Lep., Lycaenidae), 77
- Wales, *Oxyethira mirabilis* Morton (Trichopt., Hydroptilidae) found in, 202
- Washing compounds, bark beetles (Col., Scolytidae) attracted to domestic, 196
- Welsh sand dunes, notable wasps and bees (Hym., Aculeata) taken on, and a plea for help, 218
- Western Europe, *Psylla pulchella* Löw (Hem., Psyllidae) in, 9
- Wiltshire/Gloucestershire area, *Phytoecia cylindrica* (L.) (Col., Cerambycidae) in Buckinghamshire and the, 258
- Worcestershire, *Aleochara diversa* (J. Sahlberg) 1876 (Col., Staphylinidae) new to both Cornwall and, 156; *Onthophagus fracticornis* (Preyssl) and *O. nutans* (F.) (Col., Scarabaeidae) as fossils in, with comments on the genus, 31; the Coleoptera fauna from Broadway, 47
- Yorkshire, *Dorcus parallelipedus* (L.) (Col., Lucanidae) in North, 14

## SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type; genera and species new to Britain by an asterisk (\*).

## ARACHNIDA

Arachnida 22  
 Cheiracanthium 67  
 mites 22  
 oribatid mites 214  
 spider's web 257  
 spiders 236  
 Zodarium frenatum 147-56

## COLEOPTERA

Acrantus vittatus 196  
 Acritus nigricornis 50  
 Acrotrichus fascicularis, grandicollis 136;  
     montandoni 47, 136; sanctaehelenae  
     47; sericans, thoracica 136  
 Aderus populuens 49  
 Agathidium marginatum 184  
 Agrilus pannonicus 184  
 Agriotes gallicus 74  
 Alcides affaber 36  
 Aleochara diversa 48, 156; sparsa 156  
 Allosterna 93  
 Alphitophagus bifasciatus 49  
 Amara acuminata, aenea, eurynota,  
     montivaga, nitida v. imbella, trivialis  
     37  
 Amischa cavifrons, soror 48  
 Anopleta 225  
 Anoplodera 93  
 Anotylus clypeonitens, hamatus 48  
 Anthicus tobias 49  
 Anthribus fasciatus, nebulosus 70  
 Aphthona euphorbiae 49  
 Apion meliloti 124; nigrirtase 49;  
     semivittatum 108; urticarium 124, 126;  
     spp. 124  
 Aromia moschata 184  
 Aseminae 93  
 Astenus pulchellus 48  
 Atheta alpina 226; atricolor 48; boreella  
     225-7; excelsa 225, 227; hansseni 214;  
     harwoodi 48; liliputana 225-7;  
     nidicola, puberula, pygmaea, rivilla 48;  
     soedermani 225-7; spatula 227;  
     spatuloides 225-7; vilis 192  
 Atomaria berolinensis, munda 49  
 Baris lepidii 184; picicornis 84; scolopacea  
     142  
 Belonogaster petiolata 140  
 Bembidion 85; quadrimaculatum,  
     quadripustulatum, testaceum 184  
 Bledius opacus 48  
 Brachypterolus cornelii, linariae,  
     pulchrius 29  
 Bruchela rufipes 84  
 Bryaxis curtisi 48

Byrrhus fasciata, fasciatus, nigra, pilula,  
     pustulata, pustulatus 70  
 Bythinus burrelli 48  
 Calathus ambiguus 184  
 Callicerus obscurus 48  
 Campsiura javanica 139  
 Cantharis fusca 70  
 Carabus intricatus 37  
 Catops grandicollis, kirbii 47  
 Cerambycidae, Cerambycinae 93  
 Cetonia aurata 74  
 Ceutorhynchus 180; thomsoni 49  
 Chaetocnema arida 49  
 Chrysolina oricalcia 50, 114; o. var  
     hobsoni 114  
 Cionus scrophulariae 254  
 Cistela fasciata, nigra, pustulata 70  
 Cleopus pulchellus 254  
 Colenis immunda 47  
 Coleoptera 68  
 Compsophilus palpalis 192  
 Copris lunaris 58  
 Coprophilus striatulus 48  
 Corticarina similata 49  
 Cossonus linearis 213  
 Cremastocheilus spp. 140  
 Creophilus maxillosus 48  
 Cryptophagus populi 184  
 Cryptopleurum subtile 47  
 Crypturgus subcibrosus 170  
 Ctesias serra 196  
 Curculio betulae 184  
 Curculionidae 104  
 Dexiopia corticina 184  
 Dilacra s.g. 192  
 Disteninae 93  
 Dorcatoma dresdeni, flavicornis 49; spp.  
     183  
 Dorcus parallelipipedus 14  
 Dropephylla vitis 24  
 dung beetles 172  
 Elaphrus 85  
 Euphoria 140  
 Euphoriopsis hirtipes 140  
 Grynobius planus 48  
 Grypus equiseti 49  
 Gymnetron beccabungae 228; pascuorum  
     123  
 Gyrophaena joyi 48  
 Halazia sedecimguttata 184  
 Harmonia quadripunctata 49  
 Harpalus 85  
 Helophorus rufipes 47  
 Heterothops praeivus 48  
 Holoparamesus caularum 49  
 Homophron 85  
 Hoplostomus fuliginosus 140  
 Hydnoebius punctatus 47  
 Hydraena nigrata 47



- Hydromectina septentrionum,  
     subtilissima 42  
 Hypera nigrirostris 49  
 Kalcipion s.g. 108  
 Kissophagus hederæ 50  
 Lamiinae 93  
 Leptinus testaceus 47  
 Lepturinae 93  
 Lissodema cursor, quadripustulata 184  
 Lithocaris ochracea 48  
 Longitarsus ganglbaureri 50  
 Magdalis armigera, barbicornis 49  
 Malacopteryx aeneus, biguttatus,  
     bipustulatus caeruleus(?), fasciatus,  
     fuscus, lividus, melanurus, minimus,  
     navalis, obscurus, rufus, testaceus 70  
 Mecinus collaris 123  
 Melanotus erythropus 48, 50; villosus 48  
 Meligethes atramentarius 28; difficilis 25;  
     haemorrhoidalis 25–8; kunzei 28  
 Meloe rugosus 50  
 Microdota 225–7  
 Microsporidae 214  
 Microsporus acaroides 214  
 Monotoma spinicollis, testacea 49  
 Mordella aculeata, villosa 74  
 Mycetophagus piceus 184  
 Nebria brevicollis 112  
 Nephanes titon 136  
 Nephus redtenbacheri 49  
 Neuraphes elongatulus 48  
 Niptus hololeucus 49  
 Nitidula rufipes 184  
 Ochthebius bicolor 47  
 Oligella intermedia 136  
 Oligota pusillima 48  
 Omalium oxyacanthæ 48  
 Omophron 85–6  
 Onthophagus coenobita 32; fracticornis,  
     furcatus, gibbulus 31; joannæ 31–2;  
     nutans, taurus 31  
 Opilo mollis 49  
 Orthotomicus laticornis 170  
 Parabathyscia wollastoni 50  
 Patrobus assimilis, atrorufus 112  
 Philonthus nigriventris 50  
 Phloeophagus truncorum 49  
 Phloeophthorus rhododactylus 50  
 Phyllodrepa floralis 48  
 Phyllotreta nodicornis 84  
 Phytoecia cylindrica 258  
 Pityogenes 82; bidentatus 170; spp. 81–2  
 Planeustomus palpalis 192  
 Platystomos albinus 114  
 Pocadius ferrugineus 29; lanuginosus 29,  
     184  
 Polygraphus polygraphus 170  
 Potosia 140  
 Prioninae 93  
 Prionychus melanarius 49  
 Procas armillatus, granulicollis 136  
 Protaetia 140  
 Pseudalosterna 93  
 Ptenidium formicetorum 136, fuscicorne  
     214; intermedium 47; laevigatum 136;  
     punctatum 47; pusillum 136  
 Pterostichus cristatus 184; nigrata,  
     rhaeticus 170  
 Ptilinus 81  
 Ptiliolum spencei 136  
 Ptilium exaratum 136; horioni 47  
 Ptinomorphus imperialis 48  
 Ptinus sexpunctatus 196  
 Quedius fulgidus 24; invreæ, microps,  
     obliteratus 48; plagiatus 24  
 Reichenbachia juncorum 48  
 Saperda 93  
 Scolytus 85; limbatus 86; multistriatus,  
     scolytus 196  
 Scymnus haemorrhoidalis, suturalis, 49  
 Sepedophilus immaculatus 48  
 Sibinia primitus 84  
 Silvanus bidentatus 184  
 Sinodendron cylindricum 24  
 Sirolalodes depressicollis, mixtus,  
     quercicola 180  
 Sitona ononidis 184  
 Soronia grisea, punctatissima 24  
 Sphaeriidae, Sphaerius 214  
 Stenagostus rhombeus 50  
 Stenichnus scutellaris 47  
 Stenus glacialis 196  
 Tachys 85  
 Tetrops praeusta, \*starkii 181–2  
 Thanasimus formicarius 196  
 Tomicus piniperda 196  
 Trachys scrobiculatus 184  
 Trechus micros 47; secalis 14  
 Tropideres niveirostris, sepicola 114  
 Trox scaber 196  
 water beetles 171  
 Xantholinus laevigatus 48  
 Xyletinus longitarsus 183  
 Zeugophora subspinosa 184

---

## DIPTERA

- Acanthocnema glaucescens 71–3;  
     sternalis 71  
 Acroceridae 235, xi  
 Acrophaga 210  
 Aedes mucidus 257  
 Alloestylus sundewalli 109  
 Amobia distorta 60  
 Angiometopa mihalyi 60  
 Angioneura 142  
 Anomoia purmunda 74, 196  
 Athysanomyia stackelbergi 59–60  
 Asilidae 235  
 Bercaea haemorrhoidalis 59–60  
 Blaesoxipha filipjevi, katoi, litoralis 60;  
     sp. 61  
 Boettcherisca peregrina 59–60



- Bolitophila nigrolineata* 246  
*Bombyliidae* 235, xi  
*Brachycera* xi  
*Brachyopa insensilis*, *pilosa* 24  
*Calliphora alpina* 211; *loewi* 208–9, 212;  
     *stelviana* 211; *subalpina* 210–2;  
     *uralensis* 207–8, 212; *vicina*, *vomitioria*  
     207, 211–2  
*Calliphoridae*, *Calliphorinae* 142  
*Chrysominae* 142  
*Clinoceroidea* 71  
*Coenosia means*, *mollicula* 109  
*Coniophora graminicola* 216  
*Coniosternum* 73  
*Conopidae* 235  
*Conops flavipes* 74  
*Desmomyia* 87  
*Diptera* 82  
*Dixella filicornis* 165–7; \**graeca*, *obscura*  
     165–8  
*Drosophila repleta* 146  
*Eggisops* 142  
*Eustalomyia festiva*, *hilaris*, *histrion* 41–2  
*Euthyneura halidayi* 30  
*Ferdinandea* 41; *cuprea* 24  
*Gymnoselia* 220, 224  
*Helicoboscinae* 142  
*Helicophagella melanura* 59–60  
*Helina consimilis*, *evecta* 109  
*Hemeromyia longirostris*, *remotinervis*  
     63–4  
*Heteronychia obscurata* 60; *vagans* 59–60  
*Horiisca hozawai* 60  
*Kerophora brunnea* 39–40  
*Keroplatus testaceus* 138  
*Kramera schuetzei* 60  
*Lasiops sundewalli* 109  
*Lonchaea* 41–2  
*Lucilia* 212  
*Lucilinae* 142  
*Mayetiola phalaris* 216  
*Megaselia chainensis*, *rufa* 40  
*Melanomyia*, *Melanomyiinae* 142  
*Melinda* 142  
*Metopia argyrocephala*, *stackelbergi* 60  
*Metopinae* 220  
*Morinia* 142  
*mosquitoes* 97  
*'Neorhagio'* 87  
*Parafiburia* 46  
*Parasarcophaga albiceps* 59–60;  
     *brevicornis*, *crassipalpis*, *gigas* 60;  
     *harpax* 59–60; *jacobsoni*, *kanoi*, *knabi*,  
     *macroauriculata*, *misera*, *orchidea* 60;  
     *pingi* 59–60; *polystylata*, *shiritakensis*  
     60; *similis* 59–60; *tuberosa*, *unguitigris*  
     60  
*Paykullia maculata* 46  
*Phagocarpus* (s.g.) 196  
*Phallantha sichotealinii* 60  
*Phallosphaera graveyana* 60  
*Phora holosericea* 40  
*Phorinae* 220  
*Phronia annulata* 252; *austriaca* 244, 253;  
     *basalis* 252; *biarcuata* 237, 244, 252;  
     *bicolor* 237–8, 243, 247–50, 252;  
     *braueri* 252; *caliginosa* 238, 245, 252;  
     *cinerascens*, *conformis* 252; *coritanica*  
     238, 248–52; *cornuta* 244; *crassipes*  
     247–9, 252; *crassitarsus* 238, 247–50;  
     *disgrega* 252; *egregia* 238, 244–5, 252;  
     *electa* 238, 245, 252; *exigua* 252;  
     *flavicollis* 244, 253; *flavipes*, *forcipata*  
     252; *forcipula* 242, 252; *gagnei* 238,  
     248, 251–3; *humeralis*, 243, 252;  
     *interstincta* 252; *johannae* 237, 244,  
     252; *lafoonii* 245; *longelamellata* 238,  
     245–6, 252; *mutabilis* 238, 246, 252;  
     *nebulosa* 244; *nigricornis* 252;  
     *nitidiventris* 252–3; *notata* 253; *obtusata*  
     246, 253; *persimilis* 237, 244, 253;  
     *petulans* 238, 243–4, 246, 253;  
     *portschinskyi* 238, 253; *praecox* 237,  
     244, 252; *siebeckii* 245, 253; *signata*  
     243–4, 253; *sinuata*, *strenua* 244, 253;  
     *sudetica*, *sylvatica* 238, 247, 253;  
     *taczanowskyi* 237, 243; *tarsata* 237–8,  
     249, 252; *tenuis* 253; *triangularis* 253;  
     *trivittata* 245  
*Pierretia caudagilli*, *crinitula*, *josephi*,  
     *kayaensis* 60; *ugamskii* 59–60; sp. 59  
*Plastophora* 39–40; *subconvexa* 40  
*Plesina* 46  
*Pollenia intermedia*, *labialis* 142  
*Polleniinae* 142  
*Psila rosae* 1–9  
*Ravinia striata* 60–1  
*Rhagina incurvata* 87; *sinensis* 88–90; sp.  
     88, 90–1  
*Rhagio* 87  
*Rhagionidae* 235, xi  
*Rhiniinae* 142  
*Rhinophora lepida* 46  
*Rhinophorinae* 142  
*Rhynchomicropteron curvescens* 224;  
     *rudichi* 221; *micraphidiforme* 219–20;  
     *necaphidiforme* 221–4; *nudicosta* 224;  
     *nudiventer* 221–4  
*Robineauella pseudoscoparia* 60  
*Sapromyza laevatriscina* 65–7; *parallela*  
     64–5; *quadricincta* 65–6  
*Sarcophaga albiceps* 41  
*Sarcophagidioria aurata* 60  
*Scenopinidae* 235, xi  
*Sciomyzidae* 235  
*Sinonipponia erecta*, *musashinensis* 60  
*Sitodiplosis* sp. 216  
*Spilogona denigrata* 109; *scutulata* 236  
*Stratiomyidae* 235, xi  
*Styloneuria stackelbergi* 60  
*Syneura cocciphila* 39  
*Syrphidae* 184, 235  
*Tabanidae* 235, xi  
*Takanoa hakusana* 60  
*Tephritidae* 235  
*Therevidae* 235, xi

Thricops cunctans 109; genarum 109–10;  
semicinereus 109  
Tipulidae 235  
Tricholioproctia antilope 60  
Trichonta apicalis 239–40, 243; atricauda  
239, 243; bicolor 243; **brigantia** 238,  
241–3; clavigera 238–40, 243; falcata  
242–3; fissicauda, flavicauda 243,  
foeda 239, 243; fragilis 238, 242–3;  
fusca 238, 243; fusciventris 242;  
hamata 243; icenica 239, 242–3;  
melanura 239, 243; melanopyga 243;  
nigritula 238–40, 243; pulchra 238, 240,  
243; stereana 239, 243; subfusca 243;  
submaculata 238, 241, 243; terminalis  
239, 243; venosa 243; vernalis 239, 243;  
vitta 238–41; vulcani 237, 243  
Ulidia erythrophthalma 74  
Villa hottentotta 74  
Volucella zonaria 206  
Xanthandrus comtus 57  
Xylomyidae 235, xi  
Xylophagidae 235, xi  
Xylota 41

## EPHEMEROPTERA

Ephemeroptera 179, 206  
Hermanella 206

## HEMIPTERA

Balclutha alstoni, rieki 141  
Brachycaudus helichrysi 40  
Colopha ulmicola 40  
Cyphostethus s.g. 136  
Elasmotethus tristriatus 136  
Eulecanium coryli, tiliae 40  
Eupteryx atropunctata, filicum 62  
Forda formicaria 40  
Gobaishia 40  
Icerya braziliensis, purchasi 39  
Kaltenbachia pallida 40  
Kermes 39  
leafhoppers 141  
mealybugs xvii  
Megalonotus chiragra, \*emarginatus,  
sabulicola 11–2  
Neocoelostoma sp. 39  
Nilaparvata lugens 141  
Parthenolecanium corni 40  
Pemphigus fuscicornis, lichtensteini 40  
planthoppers 141  
Psylla concinna, pulchella 9  
Pulvinaria regalis 118  
Stenocranus longipennis 62  
Trigonotylus \*caelestialum 12–3;  
‘caelestialum’ [incorrect], ruficornis 12

## HYMENOPTERA

Ablaxia anaxenor 83  
Aenictus sp. 222  
Ammophila campestris 193; infesta 193–4;  
pubescens, sabulosa 193; s. infesta, s.  
nipponica, s. sabulosa 193, 195  
Anacrabro eganus, fritzi 111–2  
Ancistrocerus gazella, nigricornis 56;  
oviventris 56, 58; parietinus, parietum  
56; quadratus 53; scoticus, trifasciatus  
56  
Andrena angustior, barbilabris, bicolor,  
chrysosceles, cineraria, clarkella,  
coitana, dorsata, fucata, fulva,  
haemorrhoea 57; humilis 53, 57; labiata,  
lapponica, nigroaenea 57; ocreata,  
praecox 53; pubescens, saundersella,  
scotica, subopaca, tarsata, wilkella 57  
Andrenidae 52  
Anoplius nigerrimus 56  
Anthidium manicatum 57  
Anthophora furcata, plumipes 57; retusa  
145  
Anthophoridae 52  
ant larvae 140  
Aphrastobracon flavipennis 35  
Apsilocera bramleyi 83  
Arachnospila anceps, spissa 56; wesmaeli  
218  
Argogorytes mystaceus 56  
Atelopsilus borealis 79  
bee hives 140  
bees 178, 224  
Belonogaster petiolata 140  
Belyta ciliata 79  
Bombus hortorum 229, 232–4; lapidarius  
229, 231, 233–4; lucorum 229, 231–4;  
pratorum 69; terrestris 229–33  
Braconidae 10  
Bugacia classeyi 83  
bumble-bees 184  
Callimome pubescens 145  
Capellia cecidomyiae, orneus 83  
Cataglyphis bicolor 147–56  
Cedilla cedilla 34–6  
Centrobia fumipennis 75–6  
Chaetostricha 76  
Chaoilta decorata 34  
Cheiropachus quadrum 83  
Chelostoma florissomne 57  
Chrysididae 52  
Chrysis ignita 53; impressa, ruddii,  
viridula 56  
Chrysocharis eurynota, nephereus 104–5;  
nitetis 105, 107; purpurea 104–5  
Cinips aenea 143  
Cirrospilus diallus, pictus, vittatus 105  
Cleptes semiauratus 53, 56  
Closterocerus trifasciatus 105  
Coelioxys mandibularis 218  
Coelopisthia pachycera 83  
Coelopisthus vitripennis 199

- Colletes daviesanus* 56; *marginatus* 218; *succinctus* 56  
*Colletidae* 52  
*Conomorium amplum* 197–201; *patulum* 197–9; *pityocampae* 198–201  
*Crabro*, 112; *peltaris* 69  
*Crossocerus annulipes*, *capitosus*, *cestratus*, *dimidiatus*, *elongatulus*, *megacephalus*, *nigritus*, *ovalis*, *podagricus*, *pusillus*, *quadrimaculatus*, *tarsatus* 56; *vagabundus* 53, 56  
*Curriea* 35; sp. 34  
*Cyclogastrella clypealis* 83  
*Cynips sericeus* 70  
*Dasypoda altercata* 218  
*Dibrachys* 197; *fuscicornis*, *lignicola* 83  
*Dinotiscus aponius*, *eupterus* 83  
*Dinotoides tenebricus* 83  
*Diodontus minutus* 69  
*Dipogon nitidus*, *subintermedius*, *variegatus* 56  
*Diprion* 82  
*Dolichovespula media* 43–6, 138; *saxonica* 137  
*Dynatus* 112  
*Ectemnius* 112; *cavifrons*, *cephalotes*, *continuus*, *lapidarius* 56  
*Entedon armigeræ* 128; *cioni* 119; *cyanellus* 119, 121; *ergias* 128; *fufius* 121–2; *gracilior* 125–6; *hercyna* 120, 124; *intumescens* 119, 121; *longiventrosus* 123; *marci* 126–8; *mecini* 122–3; *meliloti* 120, 123–5; *molybdaenus* 125; *pallicrus* 119, 124; *parvicar* 119; *procioni* 125; *reticulatus* 125–6; *sparatus* 122–3; *squamosus* 128; *subimpressus*, *subovatus* 119; *syvestris* 119–22; *urticarii* 125–6  
*Entomognathus brevis* 56  
*Erdoesia tessellata* 82  
*Erythromalus nubilipennis* 83  
*Eublema* 35  
*Eucurriea* 35; *ornatistigma*, sp. 34  
*Eumenidae* 52  
*Euodynerus quadrifasciatus* 67–8; *tomentosus* 68  
*Evages crassicornis* 56  
*Eyziethelys* (subg. n.) 115–6  
*Fenusa ulmi* 104  
*Foersterella flavipes*, *reptans* 32  
*Gastracanthus pulcherrimus* 83  
*Gastrancistrus acontes*, *longigena* 83  
*Grypocentrus apicalis* 102–3, 106  
*Gymnomerus laevipes* 56  
*Halictidae* 52  
*Halictus rubicundus* 57, 69; *tumulorum* 57  
*Haltichella rufipes* 164  
*Hemitrichus seniculus* 83  
*Heterarthrus* spp. 104  
*Holocaeus stylatus* 83  
*Homonotus sanguinolentus* 67  
honey bees 140  
*Hybomischos septemcinctorius* 164  
*Hylaeus communis*, *confusus*, *hyalinatus* 56  
*Ichneumon obsoletus* 143  
*Invreia subarmata* 164  
*Janssoniella caudata* 82–3  
*Kaleva corynocera* 83  
*Karpinskiella pityophthori* 82  
*Lasioglossum albipes*, *calceatum*, *cupromicans*, *lativentris*, *leucopum*, *leucozonium*, *morio*, *nitidusculum*, *parvulum*, *rufitarse*, *smeathmanellum*, *villosulum* 57  
*Lathrolestes citrofrontalis* 102–4, 106  
*Lathromeris scutellaris* 75–6  
*Leptogenys distinguenda* 222–3; *mutabilis* 221; sp. 222–3  
*Ligulibracon* 35–6; sp. 34  
*Lindenus albilabris* 56  
*Megachile centuncularis*, *circumcincta*, *lignosia*, *willoughbiella* 57  
*Megachilidae* 52  
*Megalommum* 35–6; sp. 34  
*Melecta albifrons* 57  
*Mellinus arvensis* 56  
*Mesopolobus subfumatus* 82  
*Messa hortulana*, *nana* 104  
*Messor wasmanii* 149, 155–6  
*Metacolus azureus* 81  
*Metastenus concinnus* 83  
*Metopon atrum*, *concolor* 19; *crassispina* 20; *punctifrons* 19  
*Monodontomerus aeneus* 143–5; *\*anthophoræ*, *\*nitidus* 145; *\*obscurus*, *obsoletus* 143–5; *punctatatus* 145  
*Mutilla europaea* 53, 56  
*Mutillidae* 52  
*Myrmica ruginodis* 50  
*Myrmica atra* 56, 69; a. *erythrocephala* 69  
*Neochalcis fertoni*, 164  
*Nitela borealis* 10  
*Nomada fabriciana*, *flava*, *flavoguttata*, *goodeniana* 57; *lathburiana* 53, 57; *leucophthalma*, *marshamella*, *panzeri*, *pleurosticta*, *ruficornis*, *rufipes*, *striata* 57; *tormentillae* 53, 57  
*Nyssus dimidiatus* 218; *spinosus* 56  
*Odynerus inornatus*, *lethifer*, *lugubris* 56; *melanocephalus* 68; *morio* 56; *spinipes* 56, 68  
*Omalus aeneus*, *auratus* 56  
*Osmia* 143; *caerulescens*, *leaina*, *rufa* 57  
*Oxybelus argentatus* 218  
*Pachyneuron vitodurens* 83  
*Pandelus flavipes* 81  
*Panstenon agylla* 82  
*Passaloecus corniger*, *gracilis*, *insignis*, *singularis* 56  
*Pemphredon clypealis* 52; *morio* 52–3  
*Pheidologeton* sp. 221  
*Pimpla contemplator* 164  
*Platygerrhus dolosus*, *ductilis* 83  
*Plutothrix scenicus* 82



*Prigalio agraulis* 105  
*Podalonia hirsuta* 218  
*Poecilobracon* sp. 34  
*Polypeza ciliatum*, **dalgaardi** 79–80  
*Polysphincta vexator* 164  
 Pompilidae 52  
*Prionemnis exultata*, *fennica* 56;  
     *schioedtei* 53  
*Profenus pygmaea*, *thomsoni* 99–108  
*Psen dahlbomi* 56  
*Psenulus concolor*, *pallipes* 56  
*Psilocera atra* 19; *concolor* 16–7, 19;  
     **confusa** 16–8; *crassispina* 16–7;  
     *obscura* 16–7, 19; *pandens* 16;  
     *punctifrons* 16–9; **rufipes** 16; *seiguta*  
     16–9  
*Psithyrus vestalis* 229, 233–4  
*Pteromalus amplus* 199–200; *curtulus*,  
     *curtus* 20; **discors** 116–7; *eremita*  
     199–200; *obumbratus* 20; *patulus* 199;  
     *pandens* 20; *procerus* 117; *scopas* 200;  
     *transiens* 23  
*Rhaphitelus maculatus* 83  
*Rhopalicus tutela* 83  
*Rhopalum* 112; *clavipes* 56  
*Ropalidia montana* 139  
*Roptrocerus brevicornis* 82  
*Sapyga clavicornis* 53, 56;  
     *quinquepunctata* 56  
 Sapygidae 52  
*Scambus eucosmidarum* 164  
*Sceptrothelys gracilenta* 115–6  
*Seladerma sabbas* 83  
*Semiotellus diversus* 215–7; *fumipennis*  
     215–8; *laevicollis*, *mundus* 215–7  
*Shawiana catenator* 104–6  
*Simplicibracon* sp. 34  
*Spalangiopecta alata*, *procera* 82  
 Sphecidae 52, 92  
*Sphecodes crassus* 69; *ephippius*,  
     *fasciatus*, *gibbus*, *hyalinatus*,  
     *monilicornis* 57; *pellucidus* 57, 69  
*Spilomena beata* 56; *troglodytes* 56, 69  
*Stigmus solskyi* 56  
*Symmorphus gracilis*, *mutinensis* 56  
*Synedrus cavigena* 23; *crassicornis* 23–4  
*Termolampa pinicola* 81  
*Tetracampe impressa* 32  
*Tomicobia* 82  
*Trichomalopsis albipilosus* 82–3  
*Trichomalus oxygyne* 83  
*Trichrysis cyanea* 56  
*Trigonoderus filatus* 82  
*Trypoxylon attenuatum*, *clavicerum*,  
     *figulus* 56  
*Undabraccon* 34–6  
*Uscana fumipennis* 76; *princeps* 75  
*Vespa crabro* 157–63, 205; *c. altaica*, *c.*  
     *birulai*, *c. caspica* 159; *c. crabro* 158–9;  
     *crabroniformis* 159; *c. flavofasciata*  
     159, 203–5; *c. germana* 158–9, 203; *c.*  
     *gribodoi* 159, 203–5; *c. oberthuri* 159;  
     *ducalis* 157; *dybowskii* 157, 163;

*mandarinia*, *orientalis*, *philippinensis*  
     157; *simillima* 205; *tropica*, *walkeri* 157  
*Vipielus* 35–6; sp. 34  
*Virgulibraconoides* sp. 34  
*Zdenekiana bisulcata*, *plana*, *squama* 113

---

## ISOPTERA

termite nests 140

---

## LEPIDOPTERA

brown argus 169  
 butterflies 38, 61, 92, 98, 171–2, xi  
*Callophrys rubi* 77  
*Caloptilia syringella* 57  
 caterpillars 193  
*Coleophora* 82  
*Cossus cossus* 24, xvii  
 Gracillariidae 104  
 large heath 169  
 Lepidoptera 68, 94, 97, 169, 235  
*Lycaena phlaeas* 77–8  
 moths 61, 92  
 Nepticulidae 104  
*Retinia resinella* 81  
 Sesiidae xvii  
 small lappet 169  
*Thaumetopoea pityocampa*, *wilkinsoni*  
     201  
 white admiral 169  
 wood white 169

---

## MANTODEA

mantis 257  
*Paratenodera sinensis* 257

---

## ODONATA

dragonflies v  
 'dragonfly' 257  
 Odonata 235

---

## PHASMIDA

*Carausius abbreviatus* 129–35, 186, 188,  
     191; *mirabilis* 186, 188, 191; *stromosus*  
     129  
*Dixippus* 129, 130, 187; *abbreviatus* 131  
*Hermagoras* 187  
 Heteronemiidae 186  
*Lonchodes* 187; *uniformis* 129  
 Lonchodinae 186  
*Lonchodini* 186–7

Phasgania 129, 130, 187; abbreviata 131;  
 everetti 129; spinulosa 185-6, 188  
 Phasma crawangensis 129  
 Phenacephorus 185, 187; cornucervi  
 185-6, 188-9, 191; spinulosus 185-92  
 Prisomera 187

---

#### PLECOPTERA

Spanish stoneflies 206

---

#### PSOCOPTERA

Badonnelia titei 118

---

#### THYSANURA

Lepisma saccharina 196

---

#### TRICHOPTERA

Oxyethira mirabilis 202

---

#### GROUPS OTHER THAN INSECTA AND ARACHNIDA

Amphibia 258

Aves 257, 258

Bacteria 258

Crustacea 22

Mammalia 258

Metazoa 258

Myriapoda 22

Pisces 258

Protozoa 258

---

## ERRATA AND CORRIGENDA

Page	Line	For	Read
50	18 (up)	<i>ganglebaueri</i>	<i>ganglbaueri</i>
56	21 (up)	<i>semiaurata</i>	<i>semiauratus</i>
225	16	<i>soerdermani</i>	<i>soedermani</i>
xi	24	Insert 'of' between '(Diptera)' and 'Britain'	





